

SAFETY DATA SHEET

1. Identification

Product identifier

Other means of identification

Recommended use: Restrictions on use: TIMKEN GR 180

No data available.

Lubricating grease Industrial use only

Manufacturer/Importer/Distributor Information

Distributor

Company Name:	The Timken Corporation
Address:	4500 Mt. Pleasant St. NW
	North Canton, OH 44720 U.S.A.
Telephone:	234.262.3000

Emergency telephone number: INFOTRAC US & CANADA – 800.535.5053 Outside U.S. & Canada +1 352.323.3500

2. Hazard identification

Hazard Classification

Health Hazards

Skin sensitizer	Category 1
Reproductive toxicity	Category 2

Unknown toxicity - Health

Acute toxicity, oral	21.43 %	
Acute toxicity, dermal	14.62 %	
Acute toxicity, inhalation, vapor	42 %	
Acute toxicity, inhalation, dust or mist	41.8 %	
% of the mixture consists of an ingredient or ingredients of unknown acute toxicity		

Label Elements

Hazard Symbol:



Signal Word:

Danger



Hazard Statement:	May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child.	
Precautionary Statements		
Prevention:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.	
Response:	IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instructions on this label). Take off contaminated clothing and wash it before reuse. IF exposed or concerned: Get medical advice/attention.	
Storage:	Store locked up.	
Disposal:	Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.	
Other hazards which do not result in GHS classification:	None.	

3. Composition/information on ingredients

Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
Residual oils	Residual oils,	Trade Secret	30 - 60%
Polymer	Polymer,	Trade Secret	5 - 10%
Mineral oil	Mineral oil,	Trade Secret	5 - 10%
Dodecylbenzene calcium sulfonate	Dodecylbenzene calcium sulfonate,	Trade Secret	5 - 10%
Calcium carbonate	Calcium carbonate,	471-34-1	1 - 5%
Calcium 12- hydroxyoctadecanoate	Calcium 12- hydroxyoctadecanoat e,	Trade Secret	1 - 5%
Naphthenic acids, zinc salts	Naphthenic acids, zinc salts,	Trade Secret	1 - 5%
Magnesium silicate	Magnesium silicate,	14807-96-6	1 - 5%
Benzenamine, N-phenyl-, reaction products with 2,4,4- trimethylpentene		68411-46-1	0.1 - 1%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Trade secret information:

A specific chemical identity and/or percentage of composition has been withheld as a trade secret.



4. First-aid measures

Ingestion:	Rinse mouth thoroughly. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting.		
Inhalation:	Move to fresh air. Call a POISON CENTER/doctor if you feel unwell.		
Skin Contact:	Remove contaminated clothing and shoes. Wash contact areas with soap and water. If skin irritation occurs: Get medical advice/attention.		
Eye contact:	Flush thoroughly with water. If irritation occurs, get medical assistance. Continue to rinse for at least 15 minutes.		
Most important symptoms/effect	s, acute and delayed		
Symptoms:	No data available.		
Hazards:	No data available.		
Indication of immediate medical	attention and special treatment needed		
Treatment:	Get medical attention if symptoms occur.		
5. Fire-fighting measures			
General Fire Hazards:	No unusual fire or explosion hazards noted.		
Suitable (and unsuitable) extingu	iishing media		
Suitable extinguishing media:	Water spray, fog, CO2, dry chemical, or regular foam. Use fire- extinguishing media appropriate for surrounding materials.		
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical:	Heat may cause the containers to explode. During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for fire-fighters			
Special fire-fighting procedures:	No data available.		
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.		
6. Accidental release measures	S		
Personal precautions, protective equipment and emergency procedures:	See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.		
	All shall the second stand stand shall shall be a first the first stand stands and the first stand stands at the first stand stands at the first stand stan		

Absorb with sand or other inert absorbent. Stop the flow of material, if this is Methods and material for containment and cleaning without risk. up:



Environmental Precautions:	Avoid release to the environment. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.
7. Handling and storage	
Precautions for safe handling:	Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Avoid contact with eyes, skin, and clothing. Wash hands thoroughly after handling.
Conditions for safe storage, including any incompatibilities:	Store locked up.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
Residual oils - Mist.	TWA	1 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013)
Residual oils - Inhalable fraction.	TWA	5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
Mineral oil - Mist.	TWA	1 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011)
Mineral oil - Inhalable fraction.	TWA	5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
Mineral oil - Mist.	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
	STEL	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
Calcium carbonate	TWA	10 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
Calcium carbonate - Total dust.	STEL	20 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011)
Calcium carbonate - Respirable fraction.	TWA	3 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011)
Calcium carbonate - Total dust.	TWA	10 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011)
Calcium carbonate	8 HR ACL	10 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
	15 MIN ACL	20 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)



Calcium carbonate - Total dust.	TWA	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
Magnesium silicate - Respirable particles.	TWA	2 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
Magnesium silicate - Respirable.	TWA	2 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011)
Magnesium silicate - Respirable fraction.	8 HR ACL	2 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
Magnesium silicate - Respirable dust.	TWA	3 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
Magnesium silicate	TWA	2 Fibers/cc	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (08 2017)
Magnesium silicate - Respirable fraction.	TWA	2 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (08 2017)
Magnesium silicate - Respirable fraction.	TWA	2 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2012)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information:	Use personal protective equipment as required.	
Eye/face protection:	Wear safety glasses with side shields (or goggles).	
Skin Protection Hand Protection:	No data available.	
Other:	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.	
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards.	
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.	

9. Physical and chemical properties

Appearance	
Physical state:	solid
Form:	Grease
Color:	Amber
Odor:	Mild
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	No data available.
Flash Point:	250 °C



Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper:	No data available.
Explosive limit - lower:	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Density:	No data available.
Relative density:	0.95
Solubility(ies)	
Solubility in water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.

Viscosity:

No data available.

10. Stability and reactivity	
Reactivity:	Not reactive during normal use.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	None under normal conditions.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11. Toxicological information

Information on likely routes of exposure

Inhalation:	None under normal conditions. This product contains a low concentration of hydrated magnesium silicate (Talc). Under the International Agency for Research on Cancer (IARC), Talc in powder form is classified as Group 1: Carcinogenic to Humans. This is based on exposure through inhalation and perineal dusting with talc-based body powders. For this product, Talc is bound in the product's matrix (grease). As a consequence, exposure to airborne Talc particles/dusts is not anticipated.
Skin Contact:	May cause an allergic skin reaction.
Eye contact:	Eye contact is possible and should be avoided.



Ingestion:	May be ingested by accident. Ingestion may cause irritation and malaise.
Symptoms related to the physic	al, chemical and toxicological characteristics
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.
Information on toxicological effe	ects
Acute toxicity (list all possibl	e routes of exposure)
Oral Product:	ATEmix: > 5000 mg/kg
Dermal Product:	ATEmix: 2000 - 5000 mg/kg
Inhalation Product:	No data available.
Delayed and immediate effects Product:	, including chronic effects from short- and long-term exposure No data available.
Skin Corrosion/Irritation Product:	No data available.
Serious Eye Damage/Eye Irritat Product:	ion No data available.
Respiratory or Skin Sensitization Product:	on May cause an allergic skin reaction.
Carcinogenicity Product:	This product contains a low concentration of hydrated magnesium silicate (Talc). Under the International Agency for Research on Cancer (IARC), Talc in powder form is classified as Group 1: Carcinogenic to Humans. This is based on exposure through inhalation and perineal dusting with talc-based body powders. For this product, Talc is bound in the product's matrix (grease). As a consequence, exposure to airborne Talc particles/dusts is not anticipated.
IARC Monographs on the Evalu Magnesium silicate	ation of Carcinogenic Risks to Humans: Overall evaluation: 1. Carcinogenic to humans.
US. National Toxicology Progra No carcinogenic cor	am (NTP) Report on Carcinogens: nponents identified

ACGIH Carcinogen List: No carcinogenic components identified



Germ Cell Mutagenicity

In vitro Product:	No data available.
In vivo Product:	No data available.
Reproductive toxicity Product:	Suspected of damaging fertility or the unborn child.
Specific Target Organ Toxicity - Single ExposureProduct:No data available.	
Specific Target Organ Toxicity - Product:	Repeated Exposure No data available.
Aspiration Hazard Product:	No data available.

Other effects:

No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish Product:	No data available.
Aquatic Invertebrates Product:	No data available.
Chronic hazards to the aqua	tic environment:
Fish Product:	No data available.
Aquatic Invertebrates Product:	No data available.
Toxicity to Aquatic Plants Product:	No data available.
Persistence and Degradability	
Biodegradation Product:	No data available.
BOD/COD Ratio Product:	No data available.



Bioaccumulative potential

Bioconcentration Factor Product:	(BCF) No data available.
Partition Coefficient n-octano Product:	I / water (log Kow) No data available.
Mobility in soil: Other adverse effects:	No data available. No data available.
13. Disposal considerations	
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must be applied.
Contaminated Packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal.
14. Transport information	

TDG

Not regulated.

IMDG

Not regulated.

ΙΑΤΑ

Not regulated.

15. Regulatory information

Canada Federal Regulations List of Toxic Substances (CEPA, Schedule 1)

Chemical Identity

Naphthenic acids, zinc salts

Export Control List (CEPA 1999, Schedule 3) Not Regulated

National Pollutant Release Inventory (NPRI) Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional Reporting Requirements NPRI PT5 Not Regulated

CAD PSL2 Naphthenic acids, zinc Listed. salts



Greenhouse Gases Not Regulated

16.Other information, including date of preparation or last revision		
Issue Date:	03/30/2023	
Revision Date:	01/24/2023	
Version #: Further Information:	1.0 No data available.	
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.	