

# SAFETY DATA SHEET

#### 1. Identification

Product identifier TIMKEN GR 231

Other means of identification No data available.

Recommended use:

Restrictions on use:

Lubricating grease
Industrial use only

#### Manufacturer/Importer/Distributor Information

#### **Distributor**

Company Name: Address: The Timken Corporation 4500 Mt. Pleasant St. NW

North Canton, OH 44720 U.S.A.

Telephone: 234.262.3000

Emergency telephone number: INFOTRAC US & CANADA – 800.535.5053 Outside U.S. & Canada +1 352.323.3500

# 2. Hazard identification

#### **Hazard Classification**

#### **Health Hazards**

Serious Eye Damage/Eye Irritation Category 2A

# **Unknown toxicity - Health**

Acute toxicity, oral 10.34 %
Acute toxicity, dermal 9.84 %
Acute toxicity, inhalation, vapor 100 %
Acute toxicity, inhalation, dust 91.25 %

or mist

% of the mixture consists of an ingredient or ingredients of unknown acute toxicity

#### **Label Elements**

# **Hazard Symbol:**



Signal Word: Warning

**Hazard Statement:** Causes serious eye irritation.

**Precautionary** 

SDS\_CA 1/9



**Statements** 

**Prevention:** Wash face, hands and any exposed skin thoroughly after handling. Wear

eye protection/face protection.

**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

Other hazards which do not result in GHS classification:

None.

# 3. Composition/information on ingredients

#### **Mixtures**

| Chemical Identity  | Common name and synonyms | CAS number   | Content in percent (%)* |
|--------------------|--------------------------|--------------|-------------------------|
| White mineral oil  | White mineral oil,       | 8042-47-5    | 60 - 80%                |
| Aluminum soap      | Aluminum soap,           | Trade Secret | 5 - 10%                 |
| Polyisobutylene    | Polyisobutylene,         | Trade Secret | 3 - 7%                  |
| Zinc compound      | Zinc compound,           | Trade Secret | 1 - 5%                  |
| Calcium carbonate  | Calcium carbonate,       | 471-34-1     | 1 - 5%                  |
| Aryl thiophosphate | Aryl thiophosphate,      | Trade Secret | 0.1 - 1%                |

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Trade secret information:** A specific chemical identity and/or percentage of composition has been

withheld as a trade secret.

#### 4. First-aid measures

Ingestion: Rinse mouth thoroughly. Call a POISON CENTER/doctor if you feel unwell.

Do NOT induce vomiting.

**Inhalation:** Move to fresh air. Call a POISON CENTER/doctor if you feel unwell.

**Skin Contact:** Remove contaminated clothing and shoes. Wash contact areas with soap

and water. If skin irritation occurs: Get medical advice/attention.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Get medical attention.

Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.

**Hazards:** No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** Get medical attention if symptoms occur.

SDS CA 2/9



# 5. Fire-fighting measures

**General Fire Hazards:** No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Water spray, fog, CO2, dry chemical, or regular foam. Use fireextinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Heat may cause the containers to explode. During fire, gases hazardous to

health may be formed.

Special protective equipment and precautions for fire-fighters

Special fire-fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate ventilation.

Methods and material for containment and cleaning

up:

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and

disposal.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so.

# 7. Handling and storage

Precautions for safe handling:

Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. Avoid contact with eyes. Wash hands thoroughly after handling.

Conditions for safe storage, including any

incompatibilities:

Store in original tightly closed container. Avoid contact with oxidizing

agents. Store away from incompatible materials.

# 8. Exposure controls/personal protection

#### **Control Parameters**

Occupational Exposure Limits

| o o a pario man = A po o an o = mino |      |                       |        |  |  |  |
|--------------------------------------|------|-----------------------|--------|--|--|--|
| Chemical Identity                    | Туре | Exposure Limit Values | Source |  |  |  |

SDS CA 3/9



| White mineral oil - Mist.                   | TWA           | 5 mg/m3  | Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)   |
|---|---------------|----------|---|
|   | STEL          | 10 mg/m3 | Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)   |
| White mineral oil - Mist.                   | TWA           | 1 mg/m3  | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011)          |
| White mineral oil                           | 8 HR ACL      | 5 mg/m3  | Canada. Saskatchewan OELs (Occupational<br>Health and Safety Regulations, 1996, Table<br>21), as amended (05 2009)  |
|   | 15 MIN<br>ACL | 10 mg/m3 | Canada. Saskatchewan OELs (Occupational<br>Health and Safety Regulations, 1996, Table<br>21), as amended (05 2009)  |
| White mineral oil - Inhalable fraction.     | TWA           | 5 mg/m3  | Canada. Ontario OELs. (Control of Exposure to<br>Biological or Chemical Agents), as amended<br>(06 2015)  |
| White mineral oil - Mist.                   | TWA           | 5 mg/m3  | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation respecting occupational health and<br>safety), as amended (09 2017)   |
|   | STEL          | 10 mg/m3 | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation respecting occupational health and<br>safety), as amended (09 2017)   |
| White mineral oil - Inhalable fraction.     | TWA           | 5 mg/m3  | US. ACGIH Threshold Limit Values, as amended (03 2012)  |
| Aluminum soap - Respirable.                 | TWA           | 1 mg/m3  | Canada. British Columbia OELs. (Occupational<br>Exposure Limits for Chemical Biological<br>Substances, Occupational Health and Safety<br>Regulation 296/97, as amended) (09 2011) |
| Aluminum soap - Respirable fraction.        | TWA           | 1 mg/m3  | Canada. Ontario OELs. (Control of Exposure to<br>Biological or Chemical Agents), as amended<br>(11 2010)  |
| Aluminum soap - Respirable fraction.        | TWA           | 1 mg/m3  | US. ACGIH Threshold Limit Values, as amended (03 2012)  |
| Calcium carbonate                           | TWA           | 10 mg/m3 | Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)   |
| Calcium carbonate - Total dust.             | STEL          | 20 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011)          |
| Calcium carbonate -<br>Respirable fraction. | TWA           | 3 mg/m3  | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011)          |
| Calcium carbonate - Total dust.             | TWA           | 10 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011)          |
| Calcium carbonate                           | 8 HR ACL      | 10 mg/m3 | Canada. Saskatchewan OELs (Occupational<br>Health and Safety Regulations, 1996, Table<br>21), as amended (05 2009)  |
|   | 15 MIN<br>ACL | 20 mg/m3 | Canada. Saskatchewan OELs (Occupational<br>Health and Safety Regulations, 1996, Table<br>21), as amended (05 2009)  |
| Calcium carbonate - Total dust.             | TWA           | 10 mg/m3 | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation respecting occupational health and<br>safety), as amended (09 2017)   |

Appropriate Engineering Controls

No data available.

SDS\_CA 4/9



#### Individual protection measures, such as personal protective equipment

General information: Provide easy access to water supply and eye wash facilities. Good general

ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to

maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable

level.

**Eye/face protection:** Wear safety glasses with side shields (or goggles).

**Skin Protection** 

**Hand Protection:** No data available.

Other: Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from

supervisor on the company's respiratory protection standards.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

# 9. Physical and chemical properties

**Appearance** 

Physical state:solidForm:GreaseColor:Colorless

Odor:

Odor threshold:

PH:

No data available.

Flash Point: 267.78 °C

Evaporation rate: No data available. Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

No data available.

Vapor density:No data available.Density:No data available.

Relative density: 0.89

Solubility(ies)

Solubility in water: Insoluble

Solubility (other): No data available.

SDS CA 5/9



Partition coefficient (n-octanol/water):

No data available.

Auto-ignition temperature:No data available.Decomposition temperature:No data available.

Viscosity: > 22 mm2/s (40 °C, estimated)

# 10. Stability and reactivity

**Reactivity:** Not reactive during normal use.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

None under normal conditions.

**Conditions to avoid:** Avoid heat or contamination.

**Incompatible Materials:** No data available.

**Hazardous Decomposition** 

**Products:** 

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

# 11. Toxicological information

Information on likely routes of exposure

**Inhalation:** None under normal conditions.

**Skin Contact:** Prolonged or repeated skin contact may cause drying, cracking, or irritation.

**Eye contact:** Causes serious eye irritation.

**Ingestion:** May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix: > 5000 mg/kg

**Dermal** 

**Product:** ATEmix: 2000 - 5000 mg/kg

Inhalation

SDS CA 6/9



**Product:** No data available.

Delayed and immediate effects, including chronic effects from short- and long-term exposure

**Product:** No data available.

Skin Corrosion/Irritation

**Product:** No data available.

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Respiratory or Skin Sensitization

**Product:** No data available.

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

**ACGIH Carcinogen List:** 

No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.

Other effects: No data available.

# 12. Ecological information

#### **Ecotoxicity:**

#### Acute hazards to the aquatic environment:

SDS\_CA 7/9



Fish

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

Chronic hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

**Toxicity to Aquatic Plants** 

**Product:** No data available.

Persistence and Degradability

**Biodegradation** 

**Product:** No data available.

**BOD/COD Ratio** 

**Product:** No data available.

Bioaccumulative potential

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

Mobility in soil:

Other adverse effects:

No data available.

No data available.

13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local

laws. Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must

be applied.

**Contaminated Packaging:** Empty containers should be taken to an approved waste handling site for

recycling or disposal.

# 14. Transport information

**TDG** 

Not regulated.

**IMDG** 

Not regulated.

SDS\_CA 8/9



#### **IATA**

Not regulated.

# 15. Regulatory information

Canada Federal Regulations

List of Toxic Substances (CEPA, Schedule 1)

**Chemical Identity** 

Zinc compound

Export Control List (CEPA 1999, Schedule 3)

Not Regulated

**National Pollutant Release Inventory (NPRI)** 

Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional

**Reporting Requirements** 

CAD SK DCS White mineral oil Listed.

Canada. National Pollutant Release Inventory (NPRI) (Schedule 1, Parts 1-4)

CAD PSL2 Zinc compound Listed.

#### **Greenhouse Gases**

Not Regulated

# 16.Other information, including date of preparation or last revision

**Issue Date:** 03/30/2023

**Revision Date:** 02/08/2023

Version #: 1.0

Further Information: No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

SDS\_CA 9/9