Issue date: 09-November-2023 Revision date: -Supersedes date: -Version number: 01

SAFETY DATA SHEET

TIMKEN

1. Identification of the product

GHS product identifier	Timken GR231
Other means of identification	None.
Recommended use of the chemical and restrictions on use	

Recommended use	Lubricating grease.
Recommended restrictions	For industrial use only.
Suppliers details	
Company name Address	The Timken Company 4500 Mount Pleasant Street NW North Canton, OH 44720 United States
Telephone	(234) 262-3000
E-mail	Not available.
Contact person	INFOTRAC
Emergency phone number 1	-800-535-5053

2. Hazard identification

Classification of the substance or mixture

Physical hazards	Not classified.	
Health hazards	Reproductive toxicity (the unborn child,)	Category 2
Environmental hazards	Not classified.	

GHS label elements, including precautionary statements



Signal word	Warning
Hazard statement	
H361	Suspected of damaging the unborn child.
Precautionary statement	
Prevention	
P201 P202 P280	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.
Response	
P308 + P313	IF exposed or concerned: Get medical advice/attention.
Storage	
P405	Store locked up.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards which do not result in classification	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical identity	Common name(s), synonym(s)	CAS number and other unique identifiers	Concentration
White mineral oil (Viscosity >7 =<20.5 mm2/s)		8042-47-5	77.24
Zinc sulfide		1314-98-3	3.3
Alkylated phosphorothioate		192268-65-8	0.5
Triphenyl phosphorothionate		597-82-0	0.5

Composition comments

All concentrations are in percent by weight. Components not listed are either non-hazardous or are below reportable limits.

4. First-aid measures

Description of necessary first-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Suspected of damaging the unborn child.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety d

5. Fire-fighting measures

Suitable extinguishing media	Foam. Dry chemicals. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective actions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Cool containers exposed to heat with water spray and remove container, if no risk is involved.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Will burn if involved in a fire. No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
Methods and materials for containment and cleaning up	The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. The product is insoluble in water.

7. Handling and storage

Precautions to ensure safe	Obtain special instructions before use. Do not handle until all safety precautions have been read
handling	and understood. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure.
-	Pregnant or breastfeeding women must not handle this product. Should be

Conditions for safe storage, including any incompatibilities Store locked up. Keep away from heat and sources of ignition. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Dominican Republic. OELs (Regulation of Safety and Health in the Workplace - Decree No. 522-06 and Resolution No. 04-2007 of January 30, 2007) updated with ACGIH, as updated through ACGIH

Components	Туре	Value	Form
White mineral oil (Viscosity >7 =<20.5 mm2/s) (CAS 8042-47-5)	TWA	5 mg/m3	Inhalable fraction.
US. ACGIH Threshold Limit Components	Values (TLV) Type	Value	Form
White mineral oil (Viscosity >7 =<20.5 mm2/s) (CAS 8042-47-5)	TWA	5 mg/m3	Inhalable fraction.
Biological limit values	No biological exposure limits noted fo	r the ingredient(s).	
Control banding approach	Not applicable.		
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If expos		
Individual protection measures,	such as personal protective equipme	ent	
Eye/face protection	Wear safety glasses with side shields	(or goggles).	
Skin protection			
Hand protection	Wear appropriate chemical resistant g	gloves.	
Other	Wear appropriate chemical resistant of	clothing. Use of an impervious	apron is recommended.
Respiratory protection	In case of insufficient ventilation, wea	r suitable respiratory equipmer	nt.
Thermal hazards	Wear appropriate thermal protective of	clothing, when necessary.	
General hygiene considerations	Observe any medical surveillance rec measures, such as washing after han smoking. Routinely wash work clothin	dling the material and before e	eating, drinking, and/or
9. Physical and chemical	properties		

Appearance

Physical state	Solid.
Form	Grease.
Color	Colorless.
Odor	Mild. Petroleum solvent.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling	Not available.
range	
Flash point	Not applicable.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.

Upper/lower flammability or explosive limits

Oppennower naminability of exp	iosive mints
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble in water.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	180 cSt
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.	
Skin contact	Prolonged skin contact may cause temporary irritation.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms	Direct contact with eyes may cause temporary irritation.	
Information on taxical adjacta		

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Components	Species	Test Results
White mineral oil (Viscosity >7 =<	20.5 mm2/s) (CAS 8042-47-5)	
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Inhalation		
LC50	Rat	> 5 mg/l
Oral		
LD50	Rat	> 5000 mg/kg
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation	n.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitization	1	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitizat	ion.

Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinogenicity to humans.		
ACGIH Carcinogens			
White mineral oil (Viscosi (CAS 8042-47-5)	,	A4 Not classifiable as a human carcinogen.	
IARC Monographs. Overall E	Evaluation of Carcinogenicity		
White mineral oil (Viscosit (CAS 8042-47-5)	ty >7 =<20.5 mm2/s)	3 Not classifiable as to carcinogenicity to humans.	
Reproductive toxicity	Suspected of damaging the u	nborn child.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Other information	None known.		

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the
	possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
White mineral oil (Viscosity >	>7 =<20.5 mm2/	s) (CAS 8042-47-5)	
Aquatic			
Acute			
Crustacea	LL50	Invertebrates (Invertebrates)	100 mg/l
Fish	LL50	Fish	10 mg/l
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.		
Bioaccumulative potential	No data available.		
lobility in soil	The product is insoluble in water. Expected to have low mobility in soil.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

13. Disposal considerations

Disposal methods	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

ANTT

Not regulated as dangerous goods.

N

DOT

Not regulated as dangerous goods.

SCT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods. **Transport in bulk according to** Not applicable. **Annex II of MARPOL 73/78 and the IBC Code**

15. Regulatory information

International regulations

Montreal Protocol Not applicable. Stockholm Convention Not applicable. Rotterdam Convention Not applicable. Kyoto Protocol Not applicable. Basel Convention Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Revision date List of abbreviations ACGIH: American Conference of Governmental Industrial Hygienists. ADR: Agreement concerning the International Carriage of Dangerous Goods by Road. ANTT: National Agency of Land Transport. CAS: Chemical Abstract Service. DOT: Department of Transportation. GHS: Globally Harmonized System of Classification and Labeling of Chemicals. IARC: International Agency for Research on Cancer. IATA: International Air Transport Association. IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk. IMDG: International Maritime Dangerous Goods. MARPOL: International Convention for the Prevention of Pollution from Ships. NFPA: National Fire Protection Association. SCT: Secretariat of Communications and Transportation (NOM-002-SCT/2011). STEL: Short term exposure limit. TWA: Time Weighted Average.

References Disclaimer Workplace Threshold Quantities of Hazardous Chemicals

The Timken Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, sto