SAFETY DATA SHEET



1. Identification of the substance or mixture

Product identifier/name based

Timken GR219

on GHS

Manufacturer

Not available. Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Lubricating grease. **Recommended restrictions** For industrial use only.

Manufacturer/Importer/Supplier/Distributor information

Company name The Timken Company 4500 Mount Pleasant Street NW Address

North Canton, OH 44720

United States (234) 262-3000 Not available.

Telephone Website Not available. E-mail **INFOTRAC Contact person** 1-800-535-5053 **Emergency phone number**

2. Hazards identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 1

> Sensitization, skin Category 1 Hazardous to the aquatic environment, Category 3

long-term hazard

Label elements

Environmental hazards

Signal word Danger

Hazard statement May cause an allergic skin reaction. Causes serious eye damage. Harmful to aquatic life with long

lasting effects.

Precautionary statement

Prevention Avoid breathing mist/vapors. Avoid release to the environment. Wear protective gloves/protective

clothing/eye protection/face protection.

Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several Response

> minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before

reuse.

Storage Not assigned. Disposal Not assigned.

Pictograms (hazard

symbols)

Other hazards which do not result in classification

None known.

Supplemental information None.

3. Composition / information on ingredients

Mixture Substance or mixture

Chemical property

Chemical name	CAS Number	Concentration (%)
Calcium dodecylbenzene sulfonate	26264-06-2	9.5
Zinc naphthenate	12001-85-3	1.9

Composition comments All concentrations are in percent by weight. Components not listed are either non-hazardous or are below reportable limits.

Timken GR219 SDS Indonesia

966112 Version #: 01 Revision date: - Issue date: 09-November-2023

4. First aid measures

Description of necessary first-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders: Seek medical attention and take along these instructions.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention immediately.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause an allergic skin reaction. Dermatitis. Rash.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Foam. Dry powder. Carbon dioxide (CO2).

Extinguishing media to avoid Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Specific / special fire-fighting

procedures

Move containers from fire area if you can do so without risk.

Protection of fire-fighters Specific methods

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release (spill or leakage) measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Methods and materials for containment and cleaning up Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

7. Handling and storage

Preventative measures for safe handling

Technical measures No specific recommendations. Local and general Provide adequate ventilation.

Safe handling advice

Do not get this material in contact with eyes. Observe good industrial hygiene practices. Use

personal protection recommended in Section 8 of the SDS.

Precautions for safe

handling

ventilation

Do not get this material in contact with eyes. Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid discharge into drains, water courses or onto the ground. Avoid release to

Conditions for safe storage

No specific recommendations. **Technical measures**

Suitable storage conditions

Keep container tightly closed. Store away from incompatible materials (see Section 10 of the

SDS).

the environment.

Safe packaging materials

Store in original tightly closed container.

For further information, please refer to section 10 of the SDS. Any incompatibilities

Timken GR219 SDS Indonesia

8. Exposure controls/personal protection

Control parameters No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide easy access to water supply

and eye wash facilities.

Individual protection measures, such as personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Wear appropriate chemical resistant gloves.

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield. Face shield is

recommended.

Skin and body protection Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

9. Physical and chemical properties

Empirical data of the substance or mixture

Organoleptic properties (shape, color, etc.)

Physical state Solid.
Form Grease.
Color Black.
Odor Mild.

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not applicable.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - lower (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Insoluble in water.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Timken GR219 SDS Indonesia

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Complete and comprehensive description of the various toxicological / health effects

Acute toxicity Not expected to be acutely toxic.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ

toxicity - single exposure

Not classified.

Specific target organ toxicity - repeated

exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact May cause an allergic skin reaction.

Eye contact Causes serious eye damage.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause an allergic skin

reaction. Dermatitis. Rash.

Delayed and immediate effects and also chronic effects from short and long term exposure

Not available.

Numerical measures of toxicity

Components	Species	Test Results
Components	Opecies	i est i tesuits

Calcium dodecylbenzene sulfonate (CAS 26264-06-2)

<u>Acute</u> Oral

LD50 Rat 4000 mg/kg

Zinc naphthenate (CAS 12001-85-3)

Acute Oral

LD50 Rat 4920 mg/kg

Interactive effects Not available.

Mixture versus substance

information

No information available.

Other information None known.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Timken GR219 SDS Indonesia

Components **Species Test Results**

Zinc naphthenate (CAS 12001-85-3)

Aquatic

Crustacea EC50 Daphnia magna 4.6 mg/l, 48 hours Fish LC50 Bluegill (Lepomis macrochirus) 1.53 mg/l, 96 hours Rainbow trout (Oncorhynchus mykiss) 1.1 mg/kg, 96 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

No data available.

Disposal instructions).

Mobility in soil

No data available for this product.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Waste disposal

Methods of disposal

Dispose in accordance with all applicable regulations.

Local disposal regulations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

ADR

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Not established. Transport in bulk according to Annex II of MARPOL 73/78 and

15. Regulatory information

the IBC Code

Safety, health and environmental regulations specific for the product in question

CWC (Law of RI No. 9 of 2008 re: Prohibition on the Use of Chemicals as Chemical Weapon, March 10, 2008) Not regulated.

Dangerous Substances that Must be Registered (Regulation of the Minister of Health of the Republic of Indonesia, No. 472/Menkes/Per/V/1996)

Not regulated.

Import and Distribution Control of Hazardous Materials (Minister of Trade Regulation No. 75/M-DAG/PER/10/2014, Annex I)

Not listed

Precursor Chemicals (Ministry of Industry and Trade Decree No. 647/MPP/Kep/10/2004 concerning Regulation on Import of Precursors, Attachment 1, Oct. 18, 2004)

Prohibited Substances (Government Regulation No. 74 of 2001 regarding Management of Hazardous and Poisonous Substances, Attachment II, Table 1)

Not regulated.

Restricted Substances (Government Regulation No. 74 of 2001 regarding Management of Hazardous and Poisonous Substances, Attachment II, Table 2)

Toxic and Hazardous Materials List (Decree of the Ministry of Industry on the Safeguarding of Toxic and Hazardous Materials in Industrial Plants, No. 148/M/SK/4/1985)

Hazardous Substances Approved for Use (Government Regulation No. 74 of 2001 regarding Management of Hazardous and Poisonous Substances, Attachment I)

Listed substances

Not regulated.

Timken GR219 SDS Indonesia

Listed substances / Allowed until 2040

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto Protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

References Not available. Issued by Not available.

DisclaimerThe Timken Company cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.

Issue date 09-November-2023

Revision date -

Timken GR219 SDS Indonesia